

Soaring (Oxford) Limited UK Grob Stock

Updated 10th August 2024

Please call or email us for the latest stock availability and pricing.

If an item is not on stock with us in the UK we can still supply the item direct from the factory in Germany or directly from one of the many other original equipment manufacturers we work with.

Please use 'Find on page' (Ctrl + F) to search the list.

| Part Number | Description | Qty in UK Stock |
|----------------|------------------------------|-----------------|
| 0-0154719-2 | CONNECTOR HOUSING RED | 30 |
| 0-0160773-6 | CONTACT | 21 |
| 0-0163306-2 | SOCKET | 50 |
| 0-0163307-2 | PIN | 150 |
| 0-180900-0 | PLUG RPM GAUGE | 3 |
| 0.09-U | JET CARB B19524/90 | 8 |
| 0.45L | EXPANSTION TANK VARIOMETER | 1 |
| 001.605.311.02 | CONNECTION BOX MODULE | 5 |
| 00110430002 | CONTACT LARGE | 10 |
| 01-0770054-04 | LAMP POSITION - GREEN | 3 |
| 01-0770054-06 | LAMP POSITION - RED | 1 |
| 01-0770119-11 | LAMP ASSY | 7 |
| 010350-U | SCREW THROTTLE SPINDLE | 50 |
| 019657-U | O-RING CARBURETTOR PISTON | 50 |
| 0201418 | SEAL COPPER | 45 |
| 021101487-U | CLIP ROCKER BOX | 4 |
| 021109339-U | CLIP RETAINING | 10 |
| 021109623H-U | SPRING VALVE | 5 |
| 021115193B | NUT STRAINER | 2 |
| 021115193B-U | NUT STRAINER | 1 |
| 021115421B | SPRING | 3 |
| 021127303A-U | FLANGE FUEL PUMP | 7 |
| 021127307A-U | PUSH ROD MECH FUEL PUMP | 6 |
| 021127311A-U | GASKET FUEL PUMP | 30 |
| 025101143-U | STUD LONG 220MM | 4 |
| 028109453-U | NUT | 25 |
| 04-00174 | SCREW SELF TAPPING NOT POINT | 54 |
| 045490 | HANDLE, GULL DOOR | 5 |
| 048570 | BRAKE LEVER AND CAM STANDARD | 1 |
| 055171 | HUB MAIN 109B 5"055-171 | 1 |
| 058540 | SEAL KIT MASTER CYL TYPE 6&7 | 13 |
| 060810DU | BUSH | 18 |
| 062095 | TYRE 210X65 TOST AERO 4 PLY | 3 |
| 063093 | TUBE | 1 |

| | | |
|-----------------|--------------------------------|----|
| 063192 | TUBE INNER 200X50 90'VALVE | 8 |
| 064491 | TYRE | 5 |
| 069980 | EXTENSION VALVE | 5 |
| 0780.790 | PLATE TWIN | 1 |
| 094-10400-U | NUT HUB | 25 |
| 096005 | HOOK NOTCH CONNECTOR | 12 |
| 096010 | RING SINGLE QUICK CONNECTOR | 12 |
| 1-163035-0 | PIN HOUSING 6 POLE | 6 |
| 1-163036 | SOCKET HOUSING 6 POLE | 5 |
| 1-480318-0 | PLUG 2 POLE | 37 |
| 1-480319-0 | PIN HOUSING 2 POLE | 10 |
| 10-382584 | POINTS FOR MAGNETO 10-500514-3 | 10 |
| 10-400302 | COUPLING, IMPULSE | 2 |
| 10-400604 | CAPACITOR FOR MAG 10-500514-3 | 3 |
| 10-400615 | CAPACITOR | 2 |
| 10-92873-302 | NUT CAPACITOR | 11 |
| 102-2000.27 | TUBE SPACING ASTIR INST PANEL | 5 |
| 102-2000.48 | ADJUSTING SCREW 1851-319160 | 6 |
| 102-2810 | TAILSKID, WITH WHEEL | 1 |
| 102-2810.01 | WHEEL TAILSKID | 2 |
| 102-2912.05 | SPIGOT BOLT TAILPLANE | 7 |
| 102-3500.21 | BOLT SPHERIC ASTIR TAILPLANE | 1 |
| 102-4205.03 | BUSH | 7 |
| 102-4205.05 | BUSHING | 2 |
| 102-5015.13 | CAP | 11 |
| 103-20400-U | BOLT AN5-35A | 30 |
| 103-4280.11 | KNOB AIRBRAKE | 28 |
| 103B-4420.05 | BUSH | 2 |
| 103C-4405.09 | TRIM KNOB | 3 |
| 10536-U | GASKET RUBBER GASCOLATOR | 8 |
| 10543-U | SCREEN FILTER GASCOLATOR | 6 |
| 10580 | GASCOLATOR ACS 10560 | 2 |
| 109-2016 | Y PIECE, FUEL TANK OVERFLOW | 2 |
| 109-4315 | PULLEY | 2 |
| 109-4392 | ROD PUSH RUDDER 2 | 2 |
| 109-6000.01 | PLATE OIL BLANK | 10 |
| 109-6000.17 | BUSHING 12X10X36 | 14 |
| 109-6020.01 | BUSH | 3 |
| 109-6249 | COCK FUEL | 6 |
| 109-6300.01 | BUSH | 2 |
| 10959-8900-7101 | NYLON BALL 5.0MM | 8 |
| 109B-2307 | COVER ASSY LH | 1 |
| 109B-2611.01 | BOLT LH FORWARD | 4 |
| 109B-2612.01 | LOCKING BOLT, DOOR, RH | 2 |
| 109B-2624 | BOLT LH REAR | 2 |
| 109B-2625 | BOLT DOOR | 2 |
| 109B-2628 | LEVER LH CANOPY DOOR | 2 |
| 109B-4407 | ROD PUSH AILERON 4 | 5 |
| 109B-4448 | ROD PUSH TRIM 2 | 1 |
| 109B-52VB | CABLE RUDDER | 2 |

| | | |
|-------------------|--------------------------------|----|
| 109B-7001.22 | PLACARD CUT HERE | 5 |
| 109B-7741 | COVER PITOT TUBE | 2 |
| 109B-9040.01 | PLATE, BLANKING, TXPDR ATC2000 | 1 |
| 109B-9059 | PANEL RADIO | 1 |
| 110101 | WEAK LINK BLACK | 22 |
| 110102 | WEAK LINK BROWN | 11 |
| 110103 | WEAK LINK RED | 65 |
| 110105 | WEAK LINK WHITE | 40 |
| 110106 | WEAK LINK YELLOW | 60 |
| 111000 | WEAK LINK SLEEVE | 24 |
| 113000 | SHACKLE WEAK LINK 10MM | 10 |
| 115-5005.45 | STUD LONG G-115 U/C | 2 |
| 115-5005.46 | STUD SHORT G-115 U/C | 8 |
| 115-7300.03 | WINDOW LANDING LIGHT | 1 |
| 115-9000.14 | BRACKET EARTH | 2 |
| 115-9005 | BRACKET EARTH | 1 |
| 115C-2816 | LEVER ASSY | 1 |
| 115C-5200.27 | SCREW | 1 |
| 11752-1-PKG | ADAPTOR DOLPHIN SWITCH | 24 |
| 1197311028-U | DIODE 1197311022 | 1 |
| 13111254774-U | DIAPHRAGM CARBURETTOR | 10 |
| 13889 | BEARING CONE MAINWHEEL | 8 |
| 13889-20629 | BEARING CONE | 4 |
| 153-01500 | RING GREASE SEALING | 19 |
| 1WL | SWITCH G G109B-1WL | 10 |
| 2.84012V2W | BULB GEN/STARTER 12V 2W | 9 |
| 20081 | BATTERY CASE COMPLETE SIPA | 12 |
| 20X2.5X36 | SPACER, TAILWHEEL | 4 |
| 214-16N-U | CAMLOC RETAINING NUT | 10 |
| 217282 | SLEEVE 2.4MM TO 2.6MM CABLE | 16 |
| 21813519 | HOSE SILICONE RED | 6 |
| 22-40 | SEAL WATER 22MM | 1 |
| 222300 | THIMBLE 2.1MM TO 3.0MM CABLE | 62 |
| 222350 | THIMBLE 3.1MM TO 4.0MM CABLE | 7 |
| 222500 | THIMBLE 4.1MM TO 5.0MM CABLE | 47 |
| 222A111-3-0 | SLEEVE | 4 |
| 282M | BALL SPIGOT 12MM | 3 |
| 2RXA | LOOM TRANSPONDER | 1 |
| 3-000-224 | VALVE 5PSI 4200-0185 | 3 |
| 3-001-319 | CUSHION THIN RED | 4 |
| 3-002-064 | CUSHION THICK RED | 2 |
| 3.17660.00.0 | FILTER MECH PUMP | 2 |
| 301.12.0040 | WASHER, DV SCOOP | 49 |
| 301.12.0044 | NUT | 24 |
| 303/100-U | BOTTLE 50ML | 5 |
| 322870 | RING M2,5 | 8 |
| 332002156 | RELAY 75 AMP | 2 |
| 360-081/030/004-U | SENSOR OIL PRESSURE | 18 |
| 4-04-093D01REVB | HARNESS 5 POINT | 4 |
| 4002-0-U | CAMLOC COLLAR | 25 |

| | | |
|----------------|--------------------------------|-----|
| 4245P1 | SOCKET, MIC TEL | 1 |
| 45G410 | FUSE GLASS START 1AMP | 2 |
| 500.307.71 | CLIP R HOTELLIER | 4 |
| 50E3-1 | NUT CAMLOC V50R3-1-1AF | 10 |
| 518M8 | CAP OIL | 4 |
| 5253 | VARIOMETER MECHANICAL | 4 |
| 6-160449-1 | TERMINAL CONTACT FEMALE | 59 |
| 60062RS1-U | BEARING MAINWHEEL | 13 |
| 6171209-U | HOSE | 20 |
| 6200-0083 | CABLE EARTH 10MM | 5 |
| 6200-0290 | CABLE EARTH 6MM | 24 |
| 626-2Z/C2 | BEARING | 4 |
| 6500-0018 | HOSE SILICONE RED | 4 |
| 6500-011 | PROBE TOTAL ENERGY | 4 |
| 653695 | SPACER 530627 | 15 |
| 6750041007 | SENSOR OIL PRESSURE | 7 |
| 679-1210-ND | SWITCH | 5 |
| 68-4270002-30 | LENS UNSHEILDED | 2 |
| 704000 | BOLT SHACKLE | 6 |
| 704006 | NUT LOCK THIN M6 | 20 |
| 965M | BALL, SPIGOT | 4 |
| A355-14 | LAMP FOR POSTLIGHT | 5 |
| A355-14-U | LAMP FOR POSTLIGHT | 5 |
| A626D | LENS & RETAINER ASSY, WING STR | 2 |
| ABIL0.5GR.M1-U | GASKET GS713003-01 | 2 |
| ABIL0.5GR.M2-U | GASKET CARBURETTOR | 83 |
| AGS2050-435BH | RIVET DOME MONEL POP | 3 |
| AMP-305183 | TOOL EXTRACTION | 2 |
| AMP1-480303-0 | SOCKET HOUSING 3 POLE | 8 |
| AMP1-480305-0 | PIN HOUSE 3 POLE | 9 |
| AMP130171 | TERMINAL RING INSULATED YELLOW | 1 |
| AMP130554 | TERMINAL RING NON INSULATED | 5 |
| AMP154719-0 | CONNECTOR HOUSING BLACK | 8 |
| AMP163304-2 | TERMINAL SOCKET | 91 |
| AMP163305-2 | TERMINAL PIN | 96 |
| AMP163306-2 | TERMINAL SOCKET | 79 |
| AMP320553 | TERMINAL RING INSULATED RED | 10 |
| AMP626064-0 | PLUG HOUSING 2 POLE | 5 |
| AMP926175-1 | COUPLING HOUSING 1 POLE | 12 |
| AN100C-4-U | THIMBLE | 30 |
| AN3-5A | BOLT MAGNETO HARNESS | 10 |
| AN3-5A-U | BOLT MAGNETO HARNESS | 12 |
| AN960-516-U | WASHER WHEEL HUB | 100 |
| AN960-716-U | WASHER PROPELLER | 50 |
| ATC4401-1-175 | TRANSPONDER | 2 |
| B16879-U | DAMPER ASSY CARBURETTOR | 3 |
| B17874 | SPINDLE THROTTLE RH CARB | 3 |
| B17874-U | SPINDLE THROTTLE RH CARB | 20 |
| B18008-U | SCREW CARB DIAPHARAGM | 25 |
| B18274 | SPRING PISTON GROB RATED | 8 |

| | | |
|----------------------------|----------------------------|------|
| B19995-U | RING RETAINING CARBURETTOR | 50 |
| B22053/B.5CK-U | NEEDLE MEETERING | 10 |
| B22975-U | CHOKE | 49 |
| B27864 | NEEDLE METERING | 16 |
| BB1010DU | BUSH DU10X12X10 | 8 |
| BB1012DU | BUSH DU-MB10X12X12 | 8 |
| C/4-04-093D01REVA | QRF BUCKLE | 5 |
| CCA-1600-U | DRAIN FUEL | 1 |
| CI105-16 | AERIAL 3RX/KA60 | 1 |
| CI122 | ANTENNA COMM/VHF | 1 |
| DIN125-8.4MS | WASHER TYPE A STRAIGHT | 25 |
| DIN125A-A2-4.3 | WASHER | 100 |
| DIN125A-A2-8.4 | WASHER | 999 |
| DIN125AM3 | WASHER | 52 |
| DIN125B-A4-8.4 | WASHER FLAT | 200 |
| DIN137B-FS-VZ-8.4 | WASHER SPRING N01224111 | 1856 |
| DIN1444-A2-A6F7X46 | PIN HINGE | 48 |
| DIN17670-5.00MM | ROSETTE | 3 |
| DIN2093-12.5X6.2X0.5 | WASHER, PLATE | 50 |
| DIN2093-16X8.2X0.8 | SRING PLATE 5-000-081 | 87 |
| DIN2093-23X8.2X0.9-FST | WASHER CUP | 200 |
| DIN3016-1-D1-20X15-W4-EPDM | CLAMP RSGU1-20X15 | 4 |
| DIN3016-1-D1-6X12-W4-EPDM | CLIP P | 7 |
| DIN3017-A-40-60X9-W4 | CLAMP SLG40-60/9 | 2 |
| DIN3017-A-8-12X8-W4 | CLIP JUBILEE SGL8-12 | 2 |
| DIN3017-A-8-16X9-W4 | CLIP JUBILEE SLG8-16 | 2 |
| DIN3047-A-60-80X9-W4 | CLAMP SLG60-80/9 | 10 |
| DIN315-M10 | WING NUT | 1 |
| DIN315-M6 | NUT WING CONTROL COLUMN | 11 |
| DIN315GM8 | WING NUT BALLAST WEIGHT | 25 |
| DIN433-10.5 | WASHER VERZ | 808 |
| DIN433-6.4 | WASHER | 68 |
| DIN433-8.4 | WASHER | 10 |
| DIN439M5 | NUT VERZ | 15 |
| DIN467-ST-8 | NUT KNURLED | 10 |
| DIN5401-6.07 | BEARING OVERSIZE ASTIR CS | 5 |
| DIN5401-6.08 | BEARING OVERSIZE ASTIR CS | 4 |
| DIN5401-6.10 | BEARING OVERSIZE ASTIR CS | 12 |
| DIN6325-6M6X16 | PIN | 18 |
| DIN6797-J5.0PHR | WASHER SERRATED LOCK | 78 |
| DIN6797FORMJ6.4 | WASHER SERRATED LOCK | 185 |
| DIN6797J10.5PHR | WASHER LOCK | 18 |
| DIN6797J5.3PHR | WASHER SERRATED LOCK | 15 |
| DIN6899B3.5 | THIMBLE | 28 |
| DIN71802CS8M5 | JOINT | 23 |
| DIN71805-VZ-S8 | SPRING SECURING | 6 |
| DIN73130C24 | RING LOCKING | 24 |
| DIN73379-10X2.5-2B | HOSE FUEL | 25 |
| DIN7344-2.5X12 | ROLL PIN AIRBRKE LOCK | 85 |
| DIN7603-14X20X1.5MM | SEAL COPPER | 8 |

| | | |
|-----------------------|------------------------------|------|
| DIN7603A,16X22X1,5 | SEAL COPPER | 27 |
| DIN7972-2.9X9.5 | SCREW DIN7972-A2-2.9X9.5 | 325 |
| DIN7972-3.5X9.5 | SCREW COUNTERSUNK | 198 |
| DIN7972-3.9X16 | SCREW COUNTERSUNK | 100 |
| DIN7972-ST-VZ-3.5X9.5 | SCREW COUNTERSUNK | 978 |
| DIN7973-3.5X13 | SCREW SELF TAPPING | 373 |
| DIN7982-3.9X19 | SCREW COUNTERSUNK | 44 |
| DIN7982-A2-3.9X16 | SCREW COUNTERSUNK | 1000 |
| DIN7982-A2-4.2X16 | SCREW | 35 |
| DIN7983-3.9X19 | SCREW COUNTERSUNK | 50 |
| DIN7985M4X12 | SCREW BLACK STEEL RADIO | 10 |
| DIN7991-8.8-VZ-6X25 | SCREW | 500 |
| DIN7991M5X20 | BOLT | 100 |
| DIN7991M6X40-8.8 | SCREW COUNTERSUNK | 17 |
| DIN84M4X12 | SCREW LANDING LIGHT | 25 |
| DIN9021-10.5 | WASHER DIN9021-A2-10.5 | 60 |
| DIN9021-10.5ST60VERZ | WASHER | 5 |
| DIN9021-4.2 | WASHER | 192 |
| DIN9021-8.4ST60VERZ | WASHER | 34 |
| DIN9021-A2-4.3 | WASHER | 969 |
| DIN9021-ST-VZ-4.3 | WASHER | 950 |
| DIN912M5X70 | BOLT DIN912-A2-5X70 | 10 |
| DIN912M6X100 | BOLT ALLEN HEAD | 18 |
| DIN912M6X160-8.8 | BOLT DIN912-8.8-VZ-6X160 | 21 |
| DIN912M6X25 | BOLT | 49 |
| DIN912M6X30-8.8 | BOLT | 55 |
| DIN912M6X50 | BOLT DIN912-8.8-VZ-6X50 | 102 |
| DIN912M6X60 | BOLT | 13 |
| DIN912M6X70 | BOLT DIN912-8.8-VZ-6X70 | 12 |
| DIN912M6X75-8.8 | BOLT | 25 |
| DIN912M8X25-8.8 | BOLT, RECESSED HEAD | 27 |
| DIN931-10.9-VZ-8X60 | BOLT | 167 |
| DIN931-A2-6X45 | BOLT | 100 |
| DIN931M10X130-8.8 | BOLT ENGINE MOUNTING | 4 |
| DIN931M10X80-8.8 | BOLT | 5 |
| DIN931M10X90-8.8 | BOLT VERZ | 22 |
| DIN931M6X30 | BOLT | 15 |
| DIN931M6X40-8.8 | BOLT | 20 |
| DIN931M6X95-8.8 | BOLT VERZ | 35 |
| DIN931M8X100-8.8 | BOLT T/W DIN931-8.8-VZ-8X100 | 5 |
| DIN931M8X20 | BOLT | 10 |
| DIN931M8X54 | BOLT | 17 |
| DIN931M8X90-8.8 | BOLT T/W DIN931-8.8-VZ-8X90 | 11 |
| DIN931M8X95 | BOLT ENG LIFT BRACKET | 13 |
| DIN933-8.8M4X16 | SCREW | 19 |
| DIN933M4X10 | BOLT | 35 |
| DIN933M4X12 | BOLT | 51 |
| DIN933M4X16 | BOLT | 12 |
| DIN933M4X20 | SCREW FOR THROTTLE STOP | 30 |
| DIN933M4X20-8.8VERZ | BOLT | 1 |

| | | |
|---------------------|-------------------------------|------|
| DIN933M6X16 | SCREW DIN933-8.8-VZ-6X16 | 10 |
| DIN933M6X30-8.8 | BOLT STOP | 26 |
| DIN934M10X8 | NUT | 13 |
| DIN934M8-8VERZ | NUT | 802 |
| DIN935-8-VZ-10 | NUT | 133 |
| DIN935M8-M | NUT CASTELLATED | 50 |
| DIN94-2X25 | PIN SPLIT | 20 |
| DIN94-A2-1.6X22 | PIN SPLIT | 1000 |
| DIN94-ST-VZ-2X32 | SPLIT PIN | 102 |
| DIN963-4.8-VZ-6X20 | SCREW | 340 |
| DIN963M3X12 | SCREW | 6 |
| DIN963M4X12 | SCREW | 59 |
| DIN963M4X25 | BOLT | 197 |
| DIN963M4X28 | SCREW | 7 |
| DIN963M6X16 | SCREW | 39 |
| DIN964-3X8 | SCREW DV RAIL | 29 |
| DIN964M4X12 | SCREW | 16 |
| DIN964M4X25 | SCREW | 9 |
| DIN965-4.8-SZ-4X20 | SCREW | 1887 |
| DIN965-A2-4X20 | SCREW | 97 |
| DIN965-A2-6X25 | SCREW | 176 |
| DIN965M3X10B | SCREW BLACK | 15 |
| DIN965M4X12 | SCREW SILVER | 12 |
| DIN965M4X16 | SCREW TOP U/C & FIN | 180 |
| DIN965M4X25 | SCREW | 25 |
| DIN965M4X25B | SCREW, BLACK | 93 |
| DIN965M4X30 | SCREW RUDDER MASS BALLANCE | 16 |
| DIN965M5X16 | SCREW | 5 |
| DIN965M5X20 | SCREW | 36 |
| DIN979M8-06 | NUT SLOTTED | 100 |
| DIN988-A2-6X12X0.1 | SHIM | 89 |
| DIN988-A2-6X12X0.2 | SHIM | 92 |
| DIN988-A2-6X12X0.5 | SHIM | 1 |
| DIN988-A2-8X14X0.1 | SHIM | 31 |
| DIN988-A2-8X14X0.2 | SHIM | 34 |
| DIN988-A2-8X14X0.3 | SHIM | 32 |
| DIN988-A2-8X14X0.5 | SHIM | 33 |
| DIN988-A2-8X14X1.0 | SHIM | 32 |
| DIN988-ST-18X25X1.0 | SHIM | 100 |
| DIN988PS10X16X0.1 | SHIM SPIGOT T/S 0.1MM | 130 |
| DIN988PS10X16X0.2 | SHIM SPIGOT T/S 0.2MM | 50 |
| DIN988PS10X16X0.5 | SHIM | 83 |
| DIN988PS10X16X1.0 | SHIMS SPIGOT T/S 1.0MM | 64 |
| E000325 | BOLT DV SCOOP | 7 |
| FRJ60-4508 | BEARING PROP 8900-0064 | 5 |
| G109B-5001.01 | PLACARD U/C LEG INFORMATION | 46 |
| G2500-600.19 | CAP OIL INCREASE OIL PRESSURE | 1 |
| G2500-607.04 | UNION, CARBURETTOR | 8 |
| GE20ES | BALL AND SOCKET ASTIR | 2 |
| GR056054 | BUSH HUB PTFE | 238 |

| | | |
|------------------------|------------------------------|-----|
| GS240001-50A | CIRCUIT BREAKER GS240001-50A | 2 |
| GS243000-14-23-55 | ALTERNATOR 0120.489.469 | 2 |
| GS243001-1 | CAPACITOR 7PC | 4 |
| GS247013-08-50-X-20000 | SPIRAL WRAP | 11 |
| GS272002-1 | WHEEL RUDDER PEDAL ADJUST | 4 |
| GS282007-02 | SCREEN FILTER GASCOLATOR | 10 |
| GS282012-3 | VALVE 3PSI | 3 |
| GS341001-6-040-25-9 | HOSE SILICONE CLEAR | 6 |
| GS341012-05-PO | ADAPTOR PITOT/STATIC | 2 |
| GS341019-05-PO | ADAPTOR PITOT/STATIC 'Y' | 1 |
| GS510009-200 | TYRAP BLACK T50R | 25 |
| GS510017-06H | BEARING SWIVEL | 8 |
| GS510018-M10 | NUT LOCKING FLAT | 10 |
| GS510112-4-214-16N | CAMLOC RETAINING NUT | 15 |
| GS510112-HA | CAMLOC RECEPTACLE | 25 |
| GS513016-05-05 | BUSH 5X7X5 0505DU | 18 |
| GS513016-12-15 | BUSH TAIL WHEEL ARM DU1215 | 51 |
| GS521001-01 | DAMPER | 9 |
| GS942002-1 | SWITCH PTT | 14 |
| HEGPA6610-PA66-BK | CABLE SLEEVE BLACK | 22 |
| HEGPA6620-PA66-BK | CABLE SLEEVE BLACK | 22 |
| HK17.251 | METER FLIGHT HOURS | 1 |
| HO1 | TOOL PUSHROD TUBE | 2 |
| ISO15977-2.4X8 | RIVET 2.4 X 8 MM 6300030 | 966 |
| ISO15978-4X8 | RIVET 4X8 MM | 75 |
| ISO4017M4X25-8.8 | BOLT | 4 |
| ISO8748-1.5X10A2 | PIN ROLL ISO8748-1.5X10 | 100 |
| ISO8748-2.5X10 | PIN ROLL | 94 |
| ISO8748-2.5X10-A2 | PIN ROLL STAINLESS STEEL | 105 |
| ISO8748-2X10-A2 | PIN ROLL STAINLESS STEEL | 100 |
| ISO8748-2X16 | PIN ROLL | 75 |
| ISO8748-3X10 | PIN ROLL | 98 |
| ISO8748-3X10-A2 | PIN ROLL STAINLESS STEEL | 101 |
| ISO8750-1.5X6-A2 | PIN SPIRAL | 20 |
| ISO8750-2X20 | PIN SPIRAL | 14 |
| ISO8750-3X20 | PIN SPIRAL ISO8750-A2-3X20 | 55 |
| ISO8750-5X20 | PIN SPIRAL DIN7343-5X20 | 39 |
| ISO8750-A2-2X10 | PIN SPIRAL | 187 |
| JIG1 | TAILPLANE INCIDENCE JIG 109B | 1 |
| JIG2 | SPIN WHISKER DRILL JIG 103B | 1 |
| KS5 | ADAPTOR, 4 WAY | 1 |
| L03/1203/0038 | CABLE EARTH 2.5MM | 6 |
| L1402-U | WASHER CHOKE | 202 |
| LN29687AM4 | NUT ANCHOR | 26 |
| LN29991-04 | ANCHOR NUT | 86 |
| LN9025-0405L | WASHER | 16 |
| LN9025-0510L | WASHER | 32 |
| LN9025-0815L | WASHER | 49 |
| LN9025-10.5 | WASHER | 54 |
| LN9037-06028 | BOLT | 20 |

| | | |
|--------------|-----------------------------|-----|
| LN9037-08040 | BOLT | 86 |
| LN9037-08080 | BOLT | 7 |
| LN9037-10050 | BOLT | 118 |
| LN9037M10X35 | BOLT | 38 |
| LN9037M10X40 | BOLT | 22 |
| LN9037M10X45 | BOLT | 202 |
| LN9037M10X50 | BOLT | 68 |
| LN9037M4X16 | BOLT | 45 |
| LN9037M4X18 | BOLT | 19 |
| LN9037M4X30 | BOLT | 27 |
| LN9037M4X40 | BOLT | 10 |
| LN9037M5X14 | BOLT | 43 |
| LN9037M5X28 | BOLT | 29 |
| LN9037M5X32 | BOLT | 50 |
| LN9037M5X34 | BOLT | 4 |
| LN9037M5X36 | BOLT | 42 |
| LN9037M5X46 | BOLT | 30 |
| LN9037M6X45 | BOLT | 30 |
| LN9037M6X50 | BOLT | 36 |
| LN9037M6X54 | BOLT | 30 |
| LN9037M6X65 | BOLT | 4 |
| LN9037M8X16 | BOLT | 7 |
| LN9037M8X24 | BOLT | 10 |
| LN9037M8X32 | BOLT | 100 |
| LN9037M8X40 | BOLT | 56 |
| LN9037M8X55 | BOLT | 26 |
| LN9037M8X90 | BOLT | 9 |
| LN9345M6 | NUT CASTELLATED | 34 |
| LN9345M8 | NUT CASTELLATED | 7 |
| LN9348M12 | NUT | 27 |
| LN94-1.5X15 | PIN SPLIT LN94-15015 | 103 |
| LN94-2X10 | PIN SPLIT LN94-20010 | 50 |
| LN94-2X15 | PIN SPLIT LN94-2X16 | 15 |
| LN94-2X18 | PIN SPLIT | 48 |
| LN94-2X25 | PIN SPLIT | 60 |
| LN94-2X32 | PIN SPLIT | 199 |
| LN94-2X35 | PIN SPLIT | 201 |
| LN9438AM4X12 | BOLT | 20 |
| MS20470AD4-6 | RIVET FOR PROP FLANGE | 87 |
| MS20823-4D | ELBOW 45 DEGREES | 9 |
| MS20823-4D-U | ELBOW 45 DEGREES | 11 |
| MS21044/N7 | NUT PROP MOUNTING | 20 |
| MS24523-22 | SWITCH ENGINE BULKHEAD | 2 |
| MS24693BB32 | SCREW, BLACK BRASS | 122 |
| MS24693S27 | SCREW C/SNK TAIL LIGHT ALT | 20 |
| MS24693S28 | SCREW C/SNK WING POSN LIGHT | 88 |
| MS25171-1S | SHROUD, ELECT TERMINAL | 5 |
| MS28778-7 | O-RING ELEVATOR ROD | 15 |
| MS961 | BALL L'HOTELLIER | 3 |
| N0103533 | BOLT MANIFOLD | 8 |

| | | |
|-------------------|-----------------------------|-----|
| N011007.7-U | NUT | 22 |
| N01100840 | NUT REPLACES | 2 |
| N012234.5-U | WASHER SPRING | 83 |
| N01224111-U | WASHER SPRING | 75 |
| N013814.2-U | GASKET | 11 |
| N013829.2-U | GASKET | 3 |
| N01412814 | SCREW BAFFLE 5MM | 29 |
| N0144004-U | STUD INLET MANIFOLD M8X35MM | 13 |
| N029701.2-U | PLUG ENGINE OIL DRAIN | 3 |
| N0297014 | PLUG ENGINE OIL DRAIN | 1 |
| N10170302 | SCREW BAFFLE 6MM | 38 |
| N90085001-U | NUT EXHAUST N91130801 | 169 |
| NAS1149F0732P | WASHER PROPELLER | 10 |
| NTS118J | SLEEVE STOP 871-18.J | 6 |
| PC6E18 | CABLE GEN VV3 | 1 |
| PFANNE6.4 | WASHER, SELF ALIGNING | 42 |
| R4G-2 | CAMLOC LOCK RING | 8 |
| R4G-U | CAMLOC RETAINING RING | 75 |
| R5004050-00-14 | CAP FUEL R50 | 1 |
| R9-41-22 | JOINT SWIVEL RMZ9.41 | 7 |
| RA066-10600 | LINING BRAKE | 69 |
| RSGU1.10/12W4 | CLIP P RSGU1-10X12 | 22 |
| RSGU1.19/15W5 | CLIP P | 20 |
| RSGU1.7/12W4 | CLIP P RSGU1-7X12 | 20 |
| SAKAC8M | HEAD SWIVEL | 4 |
| SBPTFE1.5 | SPIRAL WRAP | 15 |
| SIL-G1MB/FR | HOSE D51MM | 4 |
| SSC2S-S10M | TYRAP 5-000-081 | 18 |
| SSP2 | TOOL CARB | 6 |
| SSSEE10 | SWIVEL WINCH 10MM | 3 |
| T50L | TYRAP T50L 5-000-081 | 15 |
| TAPE268 | TAPE WHITE WING 25X33mm | 12 |
| TESA4104 | TAPE, CAPPING, 25MM | 3 |
| TORRO12-22/9C7W4 | CLIP J 12-20/9 | 14 |
| TORRO32-50/9C7W4 | CLIP J | 6 |
| TORRO60-80/9C7W4 | CLAMP | 4 |
| US4136FORM4B | COLLAR 5MM BLACK | 190 |
| V15R13.1.1AA | CAMLOC CAMLOC LOBE | 3 |
| V23134-A52-C643-U | RELAY BUSBAR | 15 |
| VB42 | HARNESS 109B-VV4 VB42 | 1 |
| VB43 | HARNESS 109B-VV4 VB43 | 2 |
| W-7135X | PUMP FUEL | 15 |
| W1283 | GASKET FWD POSN LIGHT | 5 |
| W1284G | LENS, POSITION LIGHT GREEN | 6 |
| W1284R | LENS, POSITION LIGHT RED | 2 |
| W23X1A1G40 | CIRCUIT BREAKER | 1 |
| W58XC4C12A1 | CIRCUIT BREAKER A1 | 1 |
| W58XC4C12A1-U | CIRCUIT BREAKER A1 | 10 |
| W58XC4C12A10-U | CIRCUIT BREAKER A10 | 2 |
| W58XC4C12A2-U | CIRCUIT BREAKER A2 | 6 |

| | | |
|---------------|--------------------|----|
| W58XC4C12A3 | CIRCUIT BREAKER A3 | 1 |
| W58XC4C12A3-U | CIRCUIT BREAKER A3 | 11 |
| WT054 | TAPE WING | 1 |
| ZIGZAG | TAPE ZIG ZAG | 5 |